

Kitchen Roll Holder Classic

Table of contents

Quick guide	2
Scope of delivery	3
General information	3
Safety	4
Installation	5
Resistance of the unrolling brake	6
Technical data	6
Customer service	7



Quick guide for adhesive **mounting**


(Suitable for all smooth and clean surfaces)

1




Thoroughly clean the surface and the base plate of the holder with a dry cloth.

2




Stick the 3M tape onto the base plate, attach the holder and **press it firmly for 30 seconds**.

3



Before use, be sure to **wait 24 hours** so that the full adhesive strength can develop.


4



If you ever have a question or a problem with the product, please get in touch with us. We will surely find a suitable solution for you.

Adhesive mounting possible:


You can mount the kitchen roll holder with the enclosed 3M tape on the following surfaces:




Stone



Glass



Wood




all smooth surfaces

Adhesive mounting not possible:

The kitchen roll holder cannot be glued to the following surfaces, as the adhesive would not stick:



Plaster



Textured stone



Wallpaper



all textured surfaces

Scope of delivery

- 1 x Kitchen roll holder with unrolling brake
- 1 x Double-sided adhesive tape for mounting the kitchen roll holder
- 2 x Dowels
- 2 x Screws
- 2 x Screw covers
- 1 x Silicone sticker for the unrolling brake
- 1 x Accompanying card

General information



Read the operating instructions.

This instruction manual belongs to the kitchen roll holder from WOHNHELD.

It contains important information on commissioning and handling. Failure to observe these operating instructions may result in damage to the product.

Explanation of symbols

The following symbols and signal words are used in these operating instructions.

NOTE - This signal word warns of possible damage to property.



This symbol gives you useful additional information on operation or handling.



Regulation (EC) No. 1907/2006 (REACH Regulation) is an EU chemicals regulation that came into force on June 1, 2007. REACH stands for Registration, Evaluation, Authorization and Restriction of Chemicals. As an EU regulation, REACH is equally and directly applicable in all member states.

Copyrights

Passing on and copying of this document, utilization and communication of its contents are prohibited unless expressly permitted. Violations oblige the offender to pay compensation. All rights reserved in the case of patent or utility model registration.

Safety

Intended use

The kitchen roll holder is designed exclusively for unrolling kitchen rolls.

Use the kitchen roll holder only as described in this manual. Any other use is considered improper and can lead to property damage. The kitchen roll holder is not a child's toy.

The manufacturer or distributor accepts no liability for damage caused by improper or incorrect use.

Safety instructions



NOTE: Bend the unrolling brake only very gently and only a little – bending it too far can cause it to break.

Installation

Attachment by means of double-sided adhesive tape:



NOTE: Use the double-sided tape for mounting only on smooth surfaces (e.g. smooth wood, glass, metal, most plastics, stone and tiles).

NOTE: If you need a new 3M tape for installation, feel free to contact us at info@wohnheld.eu. We will gladly send you a new one free of charge.

- Open the product packaging and remove your product.
- Choose a suitable location with a smooth surface.
- Thoroughly clean the base plate of the kitchen roll holder as well as the surface where it will be attached using a dry cloth.
- Remove the protective film from one side of the double-sided adhesive tape.
- Stick the adhesive tape onto the kitchen roll holder with the sticky side.
- Remove the second protective film from the adhesive tape.
- Now press the kitchen roll holder firmly onto the surface for 30 seconds.
- If you like, you can attach the included silicone sticker to the front end of the unrolling brake. This makes it less sharp-edged and slightly increases the resistance.
- Wait 24 hours to allow the full adhesive strength of the 3M tape to develop.
- The kitchen roll holder is now ready for use.

Attachment by means of screws:



NOTE on mounting by means of screws:

If you need shorter screws for mounting, you are welcome to contact us at info@wohnheld.eu. We will be very happy to send you a shorter screw set including covers free of charge.

- Open the product package and take your product out of the package.
- Choose a place where you can screw on the kitchen roll holder.
- Position the kitchen roll holder in the desired location and secure it with the two screws.
- Take the two screw covers and screw them onto the screw heads.
- If you like, you can stick the enclosed silicone sticker to the front end of the unrolling brake. This makes it less sharp-edged and the roll-off resistance is slightly stronger.
- The kitchen roll holder is now ready for use.

Attachment by means of dowels and screws:

- Open the product package and take your product out of the package.
- Choose a place where you can drill holes for the dowels.
- Hold the kitchen roll holder in the intended place and mark the two holes for the dowels with a pencil.
- Drill two holes for the dowels using a drill bit (diameter: 6 mm).
- Insert the dowels completely into the drill holes.
- Take the two screws and screw on the kitchen roll holder with the help of the dowels.
- Take the two screw covers and screw them onto the screw heads.
- If you like, you can stick the enclosed silicone sticker to the front end of the unrolling brake. This makes it less sharp-edged and the roll-off resistance is slightly stronger.
- The kitchen roll holder is now ready for use.

Resistance of the unrolling brake

If you find the resistance too low or too high, you can **gently** bend the unrolling brake down or up.

(But please make sure that you do not tear the unrolling brake off the holder.)

You can view a video tutorial on this at www.wohnheld.services.

Technical data

Model:	Kitchen roll holder
Device color:	silver or gray
Weight:	approx. 250 g
Size:	310 x 150 x 45 mm

Subject to technical and optical changes.

Customer service / Customer support

Dear customer,

Our customer support staff will be happy to assist you. Please submit your concerns at:

info@wohnheld.eu

With kind regards

Your team from WOHNHELD