

## Installation Guide & Product Information

WOHNHELD

# Adhesive Hook



### Table of contents

|                     |   |
|---------------------|---|
| Quick guide         | 2 |
| Scope of delivery   | 3 |
| General information | 3 |
| Safety              | 3 |
| Installation        | 4 |
| Technical data      | 4 |
| Customer service    | 5 |

## Quick Mounting Guide



**NOTICE:** The hook only adheres permanently to clean and smooth surfaces!



**NOTICE:** Please follow the following steps exactly!


Only in this way is a permanently secure hold of the hook guaranteed.

1




Thoroughly clean the **smooth** surface with a dry cloth.

2



Peel the protective film off the 3M tape, position the hook and press it on **firmly for 30 seconds**.


3



Be sure to **wait 24 hours** before use so that the full adhesive strength can develop.

### Adhesive mounting possible:


You can mount the adhesive hooks with the 3M adhesive tape on the following surfaces:




Stone



Glass



Wood




all smooth surfaces

### Adhesive mounting not possible:

The adhesive hooks cannot be mounted on the following surfaces, as the adhesive would not stick:



Plaster



Textured stone



Wallpaper



all textured surfaces

If you have any questions or problems with the product, please get in touch with us.

We will certainly find a suitable solution for you.

## Scope of delivery

- 4 x adhesive hook with 3M adhesive tape
- 1 x accompanying card

## General information



*Read the instruction manual.*

This instruction manual belongs to the adhesive hook from WOHNHELD.

It contains important information on installation and handling. Failure to observe this instruction manual may result in damage to the product.

### Explanation of Symbols

The following symbols and signal words are used in this instruction manual.

NOTICE - This signal word warns of possible damage to property.



This symbol gives you useful additional information on operation or handling.



Regulation (EC) No. 1907/2006 (REACH Regulation) is an EU chemicals regulation that entered into force on 1 June 2007. REACH stands for Registration, Evaluation, Authorisation and Restriction of Chemicals. As an EU regulation, REACH is equally and directly valid in all member states.

### Copyright

The distribution and reproduction of this document, as well as the use and disclosure of its contents, are prohibited unless expressly permitted. Infringements will result in liability for damages. All rights reserved in the event of the grant of a patent or utility model.

## Safety

### Intended Use

The adhesive hook is designed exclusively for hanging up objects within its specified load capacity.

Only use the adhesive hook as described in this instruction manual. Any other use is considered improper and may result in damage to property. The adhesive hook is not a children's toy.

The manufacturer or dealer accepts no liability for damage caused by improper or incorrect use.

## Installation



**NOTICE:** Only use the double-sided adhesive tape for mounting on smooth surfaces (e.g. smooth wood, glass, metal, most plastics, stone and tiles).



**NOTICE:** Do not attach the adhesive hook over joints or transitions. For a secure hold, the adhesive tape must adhere over its entire surface to a continuously smooth surface.



**NOTICE:** Should you require a new 3M adhesive tape for mounting, you are welcome to contact us at [info@wohnheld.eu](mailto:info@wohnheld.eu). We will gladly send you a new one free of charge.



**NOTICE:** Please follow the following steps exactly!  
Only in this way is a permanently secure hold of the hook guaranteed.

### Attachment by means of adhesive tape:

- Open the product packaging and take out the adhesive hooks.
- Choose a suitable place with a smooth surface.
- Thoroughly clean the surface to which the hook is to be attached with a dry cloth.
- Remove the film from the 3M adhesive tape.
- Now press the adhesive hook on firmly for 30 seconds.
- Wait 24 hours before use so that the full adhesive strength of the 3M adhesive tape can develop.
- The adhesive hook is now ready for use.

## Technical data

|         |                        |
|---------|------------------------|
| Model:  | Adhesive hook          |
| Colour: | silver, black or white |
| Weight: | approx. 24 g per hook  |
| Size:   | 55 x 22 x 17.5 mm      |

Subject to technical and visual changes.

---

## Customer service / Customer support

Dear customer,

Our customer support staff will be happy to assist you. Please address your enquiries to:

[info@wohnheld.eu](mailto:info@wohnheld.eu)

Kind regards

Your WOHNHELD team